



mod. 50T004

Electronic Probe Thermometer

Termometro elettronico a sonda

THERMOMETER TECHNICAL FEATURES

IP66 Waterproof.

Resolution: 0.1°.

Units: °F / °C switchable.

Measurement range: -50° C – 300°C (-58° F / 572 °F).

Measurement accuracy: +/- 1°C (+/- 2°F) at -20°C / 150°C (-4°F / 302°F).

Large Bright Backlit light can be turn on and off, also can be auto-off in 10 seconds.

Strong internal magnet make thermometer able to be stuck on metal surface.

Hold temperature function to stop the display from changing the readout.

The unit will automatically turn off after 10 minutes if no other buttons are pressed.

OPERATION

Before using the thermometer, please peel-off protected film from the LCD.

To turn on the thermometer, long-press the HOLD BUTTON for 2 seconds, the LCD screen will turn on, display all options, then display the current probe temperature.

The default display unit is Fahrenheit. If you are willing to change it to Celsius, please press down the °C/°F BUTTON for 2 seconds.

Data-hold: Before withdrawing from food, press HOLD BUTTON. This will hold the temperature reading until pressed again.

To light up the LCD display, press the °C/°F BUTTON once. When the backlight is lighting press light button to turn off, also the light will turn off automatically after 10 seconds.

WARNINGS AND PRECAUTIONS:

- DO NOT LEAVE THE THERMOMETER IN THE OVEN WHILE COOKING
- DO NOT TOUCH HOT PROBE WITH BARE HANDS
- WASH THE METAL PROBE IN SOAPY WATER
- CLEAN THE THERMOMETER BY WET WASHCLOTH OR RUNNING WATER
- DO NOT COMPLETELY IMMERSE THE DIGITAL THERMOMETER IN WATER FOR MINUTES
- STERILIZE THE METAL PROBE BY INSERTING IT INTO BOILING WATER FOR SEVERAL MINUTES



Goods imported by / Prodotto importato da
Martellato srl - via Rovigo, 1/B Vigonza (PD) Italy
tel. +39 049 7800155 - fax +39 049 8087744
www.martellato.com - martellato@martellato.com



DPL50T004_00



Recycling: Check the directions of your municipality.
Raccolta differenziata: Verifica le disposizioni del tuo comune.